

**Note:** This tutorial assumes that you have completed the previous tutorials: building a ROS package (/ROS/Tutorials/BuildingPackages).

💡 Please ask about problems and questions regarding this tutorial on [answers.ros.org](http://answers.ros.org) (<http://answers.ros.org>). Don't forget to include in your question the link to this page, the versions of your OS & ROS, and also add appropriate tags.

# Understanding ROS Nodes

**Description:** This tutorial introduces ROS graph concepts and discusses the use of `roscore` (/roscore), `roscpp` (/roscpp), and `roslaunch` (/roslaunch) commandline tools.

**Tutorial Level:** BEGINNER

**Next Tutorial:** Understanding ROS topics (/ROS/Tutorials/UnderstandingTopics)

## Contents

1. Prerequisites
2. Quick Overview of Graph Concepts
3. Nodes
4. Client Libraries
5. roscore
6. Using roscpp
7. Using roslaunch
8. Review

## 1. Prerequisites

For this tutorial we'll use a lightweight simulator, to install it run the following command:

```
$ sudo apt-get install ros-<distro>-ros-tutorials
```

Replace '<distro>' with the name of your ROS distribution (e.g. indigo, jade, kinetic)

## 2. Quick Overview of Graph Concepts

- Nodes (/Nodes): A node is an executable that uses ROS to communicate with other nodes.
- Messages (/Messages): ROS data type used when subscribing or publishing to a topic.
- Topics (/Topics): Nodes can *publish* messages to a topic as well as *subscribe* to a topic to receive messages.
- Master (/Master): Name service for ROS (i.e. helps nodes find each other)
- `roslaunch` (/roslaunch): ROS equivalent of `stdout/stderr`
- `roscpp` (/roscpp): Master + `roslaunch` + parameter server (parameter server will be introduced later)

## 3. Nodes

A node really isn't much more than an executable file within a ROS package. ROS nodes use a ROS client library to communicate with other nodes. Nodes can publish or subscribe to a Topic. Nodes can also provide or use a Service.

## 4. Client Libraries

ROS client libraries allow nodes written in different programming languages to communicate:

- `rospy` = python client library
- `roscpp` = c++ client library

## 5. roscore

`roscpp` is the first thing you should run when using ROS.

Please run:

```
$ roscpp
```

You will see something similar to:

```

... logging to ~/.ros/log/9cf88ce4-b14d-11df-8a75-00251148e8cf/roslaunch-machine_name-13039.log
Checking log directory for disk usage. This may take awhile.
Press Ctrl-C to interrupt
Done checking log file disk usage. Usage is <1GB.

started roslaunch server http://machine_name:33919/
ros_comm version 1.4.7

SUMMARY
=====

PARAMETERS
* /rosversion
* /rostdistro

NODES

auto-starting new master
process[master]: started with pid [13054]
ROS_MASTER_URI=http://machine_name:11311/

setting /run_id to 9cf88ce4-b14d-11df-8a75-00251148e8cf
process[rosout-1]: started with pid [13067]
started core service [/rosout]

```

If `roscore` does not initialize, you probably have a network configuration issue. See [Network Setup - Single Machine Configuration \(http://www.ros.org/wiki/ROS/NetworkSetup#Single\\_machine\\_configuration\)](http://www.ros.org/wiki/ROS/NetworkSetup#Single_machine_configuration)

If `roscore` does not initialize and sends a message about lack of permissions, probably the `~/.ros` folder is owned by `root`, change recursively the ownership of that folder with:

```
$ sudo chown -R <your_username> ~/.ros
```

## 6. Using rosnode

Open up a **new terminal**, and let's use `roscore` to see what running `roscore` did... Bear in mind to keep the previous terminal open either by opening a new tab or simply minimizing it.

**Note:** When opening a new terminal your environment is reset and your `~/.bashrc` file is sourced. If you have trouble running commands like `roscore` then you might need to add some environment setup files to your `~/.bashrc` or manually re-source them.

`roscore` displays information about the ROS nodes that are currently running. The `roscore list` command lists these active nodes:

```
$ roscore list
```

You will see:

```
/rosout
```

This showed us that there is only one node running: `rosout (/rosout)`. This is always running as it collects and logs nodes' debugging output.

The `roscore info` command returns information about a specific node.

```
$ roscore info /rosout
```

This gave us some more information about `rosout`, such as the fact that it publishes `/rosout_agg`.

```

-----
Node [/rosout]
Publications:
* /rosout_agg [rosgraph_msgs/Log]

Subscriptions:
* /rosout [unknown type]

Services:
* /rosout/get_loggers
* /rosout/set_logger_level

contacting node http://machine_name:54614/ ...
Pid: 5092

```

Now, let's see some more nodes. For this, we're going to use `roscore run` to bring up another node.

## 7. Using roscore run

`roscore run` allows you to use the package name to directly run a node within a package (without having to know the package path).

Usage:


```
$ rosrun [package_name] [node_name]
```

So now we can run the `turtlesim_node` in the `turtlesim` package.

Then, in a **new terminal**:

```
$ rosrun turtlesim turtlesim_node
```

You will see the `turtlesim` window:



**NOTE:** The turtle may look different in your `turtlesim` window. Don't worry about it - there are many types of turtle ([/Distributions#Current\\_Distribution\\_Releases](#)) and yours is a surprise!

In a **new terminal**:

```
$ rosnode list
```

You will see something similar to:

```
/rosout  
/turtlesim
```

One powerful feature of ROS is that you can reassign Names from the command-line.

Close the `turtlesim` window to stop the node (or go back to the `roslaunch turtlesim` terminal and use `ctrl-C`). Now let's re-run it, but this time use a Remapping Argument ([/Remapping%20Arguments](#)) to change the node's name:

```
$ roslaunch turtlesim turtlesim_node __name:=my_turtle
```

Now, if we go back and use `rosnode list`:

```
$ rosnode list
```

You will see something similar to:

```
/my_turtle  
/rosout
```

Note: If you still see `/turtlesim` in the list, it might mean that you stopped the node in the terminal using `ctrl-C` instead of closing the window, or that you don't have the `$ROS_HOSTNAME` environment variable defined as described in [Network Setup - Single Machine Configuration](#) ([http://www.ros.org/wiki/ROS/NetworkSetup#Single\\_machine\\_configuration](http://www.ros.org/wiki/ROS/NetworkSetup#Single_machine_configuration)). You can try cleaning the `rosnode list` with: `$ rosnode cleanup`

We see our new `/my_turtle` node. Let's use another `rosnode` command, `ping`, to test that it's up:

```
$ rosnode ping my_turtle
```

```
rosnode: node is [/my_turtle]
pinging /my_turtle with a timeout of 3.0s
xmlrpc reply from http://aqy:42235/      time=1.152992ms
xmlrpc reply from http://aqy:42235/      time=1.120090ms
xmlrpc reply from http://aqy:42235/      time=1.700878ms
xmlrpc reply from http://aqy:42235/      time=1.127958ms
```

## 8. Review

What was covered:

- `roscore` = `ros+core` : master (provides name service for ROS) + `rosout` (stdout/stderr) + parameter server (parameter server will be introduced later)
- `rosnode` = `ros+node` : ROS tool to get information about a node.
- `roslaunch` = `ros+run` : runs a node from a given package.

Now that you understand how ROS nodes work, let's look at how ROS topics work (/ROS/Tutorials/UnderstandingTopics). Also, feel free to press `Ctrl-C` to stop `turtlesim_node`.

Except where otherwise noted, the ROS wiki is licensed under the Creative Commons Attribution 3.0 (<http://creativecommons.org/licenses/by/3.0/>) | Find us on Google+ (<https://plus.google.com/113789706402978299308>)

Wiki: ROS/Tutorials/UnderstandingNodes (last edited 2019-06-05 23:41:12 by LukeMeier (LukeMeier))

Brought to you by:  Open Source Robotics Foundation

(<http://www.osrfoundation.org>)